

CONTENTS

Introduction	6
LED spot 1,2,4	8
One mould lamp (Eenmal lamp)	24
Small ceramic light (Klein keramiek lampje)	34
Line lamp (Streeplamp)	40
Cut glass chandelier (Gezaagd glas kroonluchter)	52
Old lampshades lamp (Oude lampenkapies lamp)	58

INTRODUCTION

4

PIET HEIN EEK

In 1990, Piet Hein Eek graduated from the Academy for Industrial Design (later Design Academy) in Eindhoven, with a cupboard made of scrapwood; the now famous Classic Cupboard in Scrapwood (the cupboard is in the collection of the Stedelijk Museum Amsterdam). In an age of lavishness and perfection, he opted for simple materials and sober design. Eek then founded Eek & Ruijgrok B.V. with fellow student Nob Ruijgrok in 1992. They worked under the name 'Piet Hein Eek', from their factory in Geldrop, which they later moved to a former Philips factory in Eindhoven.

Eek's principle is to create with what is available. Material, technique and craftsmanship are starting points for his designs. By using what the world has to offer as a starting point instead of putting the idea first, Eek is able to produce his designs for reasonable prices in Eindhoven despite high labour costs.

The respect for materials, technique and craftsmanship did not only lead to the design of the classic scrapwood cabinet. Over the years, a complete collection has emerged based on the same principles. The method of production is part of the design, resulting in designs that make sense from the production perspective but are manufactured quite differently than usual. Instead of being concealed, the construction is often visible. This is not only less work, but often produces an image from which you can see how and why something was made.


Where labour is increasingly being moved to low-wage countries or performed by computer-controlled machines, Eek kept his workshop in Eindhoven, where each product is handmade with outstanding crafts-manship and an eye for detail. The former Philips factory at Strijp-R in Eindhoven of over 11,000 square metres houses his workshop, office, shop, showroom, gallery, meeting rooms, event space, studios, hotel and several restaurants.



LED spot 1, 2, 4 in aluminum, brass and copper

When we moved to our new location, we did not nearly have enough lights to illuminate our new showroom properly. These old halogen lights were also extremely energy-consuming, which was not feasible for such a large space.

Thanks to a miraculous trade, we acquired a huge amount of LED lights, for which we designed an utterly simple reflective mount. The LED spots are available in aluminum, brass and copper and come in 1, 2 or 4 light variations.





















LED spot 1 flush Aluminium

SKU: PHE-2980FA Materials: Aluminium Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: n/a

220V-240V ~ 50Hz/60Hz Input voltage:

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Colour temp: Dependent on bulb Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:

LED spot 1 flush Brass

SKU: PHE-2980FB Materials: Brass Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Colour temp: Dependent on bulb Lumen output: Dependent on bulb Dimmable: Dependent on bulb

Certification: CE

LED spot 1 flush Copper

SKU: PHE-2980FC Materials: Copper Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Colour temp: Dependent on bulb Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:

LED spot 2 flush Aluminium

SKU: PHE-2981FA Materials: Aluminium Finish: Uncoated

14 x 8,5 x 18,7 cm Size:

Canopy Size: n/a

220V-240V ~ 50Hz/60Hz Input voltage:

Cord:

n/a Lightsource: GU 10 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:









LED spot 2 flush Brass

SKU: PHE-2981FB Materials: Brass

Size: 14 x 8,5 x 18,7 cm

Canopy Size: n/a

Finish:

220V-240V ~ 50Hz/60Hz Input voltage:

Uncoated

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:

LED spot 2 flush Copper

SKU: PHE-2981FC Materials: Copper Finish: Uncoated

Size: 14 x 8,5 x 18,7 cm

Canopy Size: n/a

220V-240V ~ 50Hz/60Hz Input voltage:

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:

LED spot 4 flush Aluminium

SKU: PHE-2982FA Materials: Aluminium Finish: Uncoated

Size: 14 x 14 x 20 cm

Canopy Size: n/a

220V-240V ~ 50Hz/60Hz Input voltage: n/a

Cord:

Lightsource: GU 10 (not included) Power: Dependent on bulb Colour temp: Dependent on bulb Lumen output: Dependent on bulb Dimmable: Dependent on bulb

Certification: CE

LED spot 4 flush Brass

SKU: PHE-2982FB

Materials: Brass Finish: Uncoated

Size: 14 x 14 x 20 cm

Canopy Size: n/a

220V-240V ~ 50Hz/60Hz Input voltage:

Cord: n/a

Lightsource: GU 10 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Lumen output: Dependent on bulb Dimmable: Dependent on bulb

CE Certification:









LED spot 4 flush Copper

SKU: PHE-2982FC

Materials: Copper

Finish: Uncoated

Size: 14 x 14 x 20 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: n/a

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 1 canopy Aluminium

SKU: PHE-2980CA

Materials: Aluminium

Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 1 canopy Brass

SKU: PHE-2980CB

Materials: Brass

Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 1 canopy Copper

SKU: PHE-2980CC

Materials: Copper

Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE









LED spot 2 canopy Aluminium

SKU: PHE-2981CA
Materials: Aluminium
Finish: Uncoated

Size: 14 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 2 canopy Brass

SKU: PHE-2981CB

Materials: Brass

Finish: Uncoated

Size: 14 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

20

LED spot 2 canopy Copper

SKU: PHE-2981CC

Materials: Copper

Finish: Uncoated

Size: 14 x 8,5 x 18,7 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 4 canopy Aluminium

SKU: PHE-2982CA

Materials: Aluminium

Finish: Uncoated

Size: 14 x 14 x 20 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)

Power: Dependent on bulb

Colour temp: Dependent on bulb

Lumen output: Dependent on bulb

Dimmable: Dependent on bulb

Certification: CE





LED spot 4 canopy Brass

SKU: PHE-2982CB

Materials: Brass
Finish: Uncoated

Size: 14 x 14 x 20 cm

Canopy Size: h 3,5cm / Ø 10,5 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

LED spot 4 canopy Copper

SKU: PHE-2982CC Materials: Copper

Finish: Uncoated
Size: 14 x 14 x 20 cm
Canopy Size: h 3,5cm / Ø 10,5 cm

Canopy Size: h 3,5cm / Ø 10,5 cm Input voltage: 220V-240V \sim 50Hz/60Hz

Cord: 2 m, black

Lightsource: GU 10 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE



LED spot on custom track system

Minimum of five meter and five spots

LED spot 1 on custom track system

SKU: PHE-2983-CMA / PHE-2983-CMB /

PHE-2983-CMC

Materials: Aluminium / Brass / Copper

Finish: Uncoated

Size: 8,5 x 8,5 x 18,7 cm Lightsource: GU 10 (not included)

Certification: CE

LED spot 2 on custom track system

SKU: PHE-2984-CMA / PHE-2984-CMB /

PHE-2984-CMC

Materials: Aluminium / Brass / Copper

Finish: Uncoated

Size: 14 x 8,5 x 18,7 cm Lightsource: GU 10 (not included)

Certification: CE

LED spot 4 on custom track system

SKU: PHE-2985-CMA / PHE-2985-CMB /

PHE-2985-CMC

Materials: Aluminium / Brass / Copper

Finish: Uncoated
Size: 14 x 14 x 20 cm
Lightsource: GU 10 (not included)

Certification: CE


U-track per meter

SKU: PHE-Utrack-A / PHE-Utrack-B / PHE-Utrack-C

Materials: Aluminium / Brass / Copper

Finish: Uncoated

22



The ceramic One mould lamp can be used as multiple different lamps, all created from a single mould. You can set it down as a free-standing nightlight, mount it on the wall as an up or down lighter, mount it on a stand as a table lamp, or mount it on a long stand to use it as a floor lamp or reading lamp.



















One mould lamp | Eenmal lamp table/wall Green

SKU: PHE-2992GR
Materials: Ceramic
Finish: n/a

Size: 12 x 19.5 x 9 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 1,3 m, transparant
Lightsource: E14 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

One mould lamp | Eenmal lamp table/wall Light blue

SKU: PHE-2992LB

Materials: Ceramic

Finish: n/a

Size: 12 x 19.5 x 9 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 1,3 m, transparant
Lightsource: E14 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

One mould lamp | Eenmal lamp table/wall Pink

SKU: PHE-2992PK
Materials: Ceramic
Finish: n/a

Size: 12 x 19.5 x 9 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 1,3 m, transparant
Lightsource: E14 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

One mould lamp | Eenmal lamp table/wall White

SKU: PHE-2992WH Materials: Ceramic

Size: 12 x 19.5 x 9 cm

Canopy Size: n/a

Finish:

Input voltage: 220V-240V ~ 50Hz/60Hz

n/a

Cord: 1,3 m, transparant
Lightsource: E14 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE



One mould lamp | Eenmal lamp table/wall Yellow

SKU: PHE-2992YE Materials: Ceramic

Finish: n/a

Size: 12 x 19.5 x 9 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 1,3 m, black
Lightsource: E14 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE



Small ceramic light (Klein keramiek lampje)

The design for the small ceramic lamp was extremely simple and obvious, but lead to a wide range of possibilities. You can hang it from the ceiling, mount it on a triangular stand to make a standing lamp, or mount it to the wall. A group of small ceramic lamps can also be hung together to create a chandelier.





Small ceramic light | Klein keramiek lampje single pendant - canopy mount

SKU: PHE-5661

Materials: Porcelain

Finish: n/a

Size: \emptyset 5,5 cm x 7 cm Canopy Size: \emptyset 10 cm x 4 cm

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3 m, black
Lightsource: Integrated LED
Power: 1,6 W

Power: 1,6 W
Colour temp: 2700 k
Lumen output: 167

Dimmable: Phase cut dimmable (R, C)

Certification: CE

Small ceramic light | Klein keramiek lampje single pendant - flush mount

SKU: PHE-5662

Materials: Porcelain

Finish: n/a

Size: Ø 5,5 cm x 7 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3 m, black
Lightsource: Integrated LED
Power: 1,6 W

Power: 1,6 W
Colour temp: 2700 k
Lumen output: 167

Dimmable: Phase cut dimmable (R, C)

Certification: CE





Small ceramic light | Klein keramiek lampje on custom track system

Minimum quantity: 25 pendants

SKU: PHE-5664-CM Materials: Porcelain

Size: Ø 5,5 cm x 7 cm Lightsource: Integrated LED

Certification: CE



Line lamp (Streeplamp)

The line lamp is an elegant and minimalistic lamp in the shape of a thin stripe. You can hang it fairly low above a table as a practical and elegant lighting solution, or you can hang multiple higher up to create an interesting ambience. The lamp is available in brass and copper and can be made in three different lengths.















Line lamp | Streeplamp - 120cm Brass

SKU: PHE-36961B

Materials: Brass
Finish: Uncoated

Size: 120 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3m, transparant Lightsource: Integrated LED

Power: 20.4 W
Colour temp: 2700K
Lumen output: 2030

Dimmable: Phase cut dimmable (R,C)

Certification: CE

Line lamp | Streeplamp - 120cm Copper

SKU: PHE-36971C

Materials: Copper

Finish: Uncoated

Size: 120 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3m, transparant
Lightsource: Integrated LED
Power: 20.4 W
Colour temp: 2700K
Lumen output: 2030

Dimmable: Phase cut dimmable (R,C)

Certification: CE

Line lamp | Streeplamp - 150cm Brass

SKU: PHE-36962B

Materials: Brass

Finish: Uncoated

Size: 150 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3m, transparant
Lightsource: Integrated LED
Power: 28.5 W
Colour temp: 2700K
Lumen output: 2840

Dimmable: Phase cut dimmable (R,C)

Certification: CE

Line lamp | Streeplamp - 150cm Copper

SKU: PHE-36972C

Materials: Copper

Finish: Uncoated

Size: 150 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz


Cord: 3m, transparant Lightsource: Integrated LED Power: 28.5 W Colour temp: 2700K

Lumen output: 2840

Dimmable: Phase cut dimmable (R,C)

Certification: CE

47



Line lamp | Streeplamp - 180cm Brass

SKU: PHE-36964B Materials: Brass

Finish: Uncoated

Size: 180 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3m, transparant Lightsource: Integrated LED

Power: 36.2 W
Colour temp: 2700K
Lumen output: 3650

Dimmable: Phase cut dimmable (R,C)

Certification: CE

Line lamp | Streeplamp - 180cm Copper

SKU: PHE-36974C Materials: Copper Finish: Uncoated

Size: 180 x 2,3 x 2,4 cm

Canopy Size: n/a

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3m, transparant Lightsource: Integrated LED Power: 36.2 W

Colour temp: 2700K Lumen output: 3650

Dimmable: Phase cut dimmable (R,C)

Certification: CE



Line lamp | Streeplamp for custom installation

Minimum quantity of 5 pieces

Line lamp | Streeplamp - 120cm for custom installation

SKU: PHE-36962-CMB / PHE-36971-CMC

Materials: Brass / Copper Finish: Uncoated

Size: 120 x 2,3 x 2,4 cm Lightsource: Integrated LED

Certification: CE

Line lamp | Streeplamp - 150cm for custom installation

SKU: PHE-36961-CMB / PHE-36972-CMC

Materials: Brass / Copper Finish: Uncoated

Size: 150 x 2,3 x 2,4 cm Lightsource: Integrated LED

Certification: CE

Line lamp | Streeplamp - 180cm for custom installation

SKU: PHE-36964-CMB / PHE-36974-CMC

Materials: Brass / Copper Finish: Uncoated

Size: 180 x 2,3 x 2,4 cm Lightsource: Integrated LED

Certification: CE

48






Cut glass chandelier (Gezaagd glas kroonluchter)

The chandelier is a beautiful example of modern design, with its clean lines and minimalist aesthetic. Each glass pipe is carefully crafted and assembled by hand, perfectly fitting in the brass rings that hold everything together.

















Cut glass chandelier | Gezaagd glas kroonluchter - 45cm

SKU: PHE-3947-0

Materials: Glass / Brass

Finish: Uncoated

Size: Ø46 x 50 cm

Canopy Size: h 3,5cm / Ø 10,5 cm Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: 3 m, Transparant
Lightsource: E27 (not included)
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

Cut glass chandelier | Gezaagd glas kroonluchter - 100cm

SKU: PHE-3947-1 Glass / Brass Materials: Finish: Uncoated Size: Ø100 x 100 cm h 3,5cm / Ø 10,5 cm Canopy Size: 220V-240V ~ 50Hz/60Hz Input voltage: Cord: 3 m, Transparant Lightsource: 3x E27 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Dependent on bulb Lumen output: Dimmable: Dependent on bulb

CE

Certification:

Cut glass chandelier | Gezaagd glas kroonluchter - 120cm

SKU: PHE-3947-2 Materials: Glass / Brass Finish: Uncoated Size: Ø120 x 120 cm h 3,5cm / Ø 10,5 cm Canopy Size: 220V-240V ~ 50Hz/60Hz Input voltage: Cord: 3 m, Transparant Lightsource: 3x E27 (not included) Power: Dependent on bulb Dependent on bulb Colour temp: Lumen output: Dependent on bulb Dimmable: Dependent on bulb

Certification: CE

Cut glass chandelier | Gezaagd glas kroonluchter - 200cm

SKU: PHE-3947-4
Materials: Glass / Aluminium

Finish: Uncoated
Size: Ø200 x 200 cm
Canopy Size: h 3,5cm / Ø 10,5 cm
Input voltage: 220V-240V ~ 50Hz/60Hz
Cord: 3 m, Transparant

Lightsource: Integrated LED
Power: 38,4 W
Colour temp: 2700 K

Lumen output: 4008 Lumen

Dimmable: Phase cut dimmable (R, C)

Certification: CE

Old lampshades lamp (Oude lampenkapjes lamp)

The old lampshades lamp is inspired by Jeanine's habit of collecting. She has collections of almost everything, including lampshades. When we visited Leo Coolen's warehouses (of sprookjes.eu) and saw his collection of lampshades, we encountered the superlative level of collecting. I wanted to use the shades, preferably the least special, to make a new lamp. Collecting means organising and ranking, so lots of these shades had to be combined in a large object: a chandelier. A large globe formed from lots of smaller ones seemed like a good idea.









Old lampshade lamp ball | Oudelampenkapjes ballamp

SKU: PHE-3501-CMA / PHE-3503-CMB

/ PHE-3502-CMC

Materials: Aluminium / Brass / Copper

Finish: Uncoated
Size: Custom input
Canopy Size: Custom input

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: Custom input
Lightsource: LED fridge lamp E14
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE



64

Old lampshades string lamp 3 | Oude lampenkapjes strenglamp 3

SKU: PHE-3504-3R/ PHE-3504-3B

/ PHE-3504-3C

Materials: RVS / Brass/ Copper

Finish: Uncoated
Size: TBA
Canopy Size: TBA

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: Custom input
Lightsource: LED fridge lamp E14
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

Old lampshades string lamp 4 | Oude lampenkapjes strenglamp 4

SKU: PHE-3504-4R / PHE-3504-

4B / PHE-3504-4C

Materials: RVS / Brass / Copper

Finish: Uncoated Size: TBA Canopy Size: TBA

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: Custom input

Lightsource: LED fridge lamp E14
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE

Old lampshades string lamp 5 | Oude lampenkapjes strenglamp 5

SKU: PHE-3504-5R/ PHE-3504-5B

/ PHE-3504-5C

Materials: RVS / Brass / Copper

Finish: Uncoated

Size: 1x Ø 25 cm - 2x Ø 30 cm -

2x Ø 40 cm

Dependent on bulb

Canopy Size: TBA

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: Custom input
Lightsource: LED fridge lamp E14
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb

Certification: CE

Dimmable:

Old lampshades string lamp 6 | Oude lampenkapjes strenglamp 6

SKU: PHE-3504-6R / PHE-3504-

6B / PHE-3504-6C

Materials: RVS/ Brass / Copper

Finish: Uncoated

Size: 2x Ø 25 cm - 2x Ø 30 cm -

2x Ø 40 cm

Canopy Size: TBA

Input voltage: 220V-240V ~ 50Hz/60Hz

Cord: Custom input

Lightsource: LED fridge lamp E14
Power: Dependent on bulb
Colour temp: Dependent on bulb
Lumen output: Dependent on bulb
Dimmable: Dependent on bulb

Certification: CE





VANMOKUM

HQ Meeuwenlaan 126B 1021JN Amterdam The Netherlands

+31 (0)20 820 35 08 info@vanmokum.com

United States +1262 886 1044 us@vanmokum.com

Deutschland +49 (0)892 620 4410 deutschland@vanmokum.com