

piet hein eek

lighting

catalogue

CONTENTS

Introduction	6
LED spot 1,2,4	8
One mould lamp (Eenmal lamp)	24
Small ceramic light (Klein keramiek lampje)	34
Line lamp (Streeplamp)	40
Cut glass chandelier (Gezaagd glas kroonluchter)	52

INTRODUCTION

PIET HEIN EEK

In 1990, Piet Hein Eek graduated from the Academy for Industrial Design (later Design Academy) in Eindhoven, with a cupboard made of scrapwood; the now famous Classic Cupboard in Scrapwood (the cupboard is in the collection of the Stedelijk Museum Amsterdam). In an age of lavishness and perfection, he opted for simple materials and sober design. Eek then founded Eek & Ruijgrok B.V. with fellow student Nob Ruijgrok in 1992. They worked under the name 'Piet Hein Eek', from their factory in Geldrop, which they later moved to a former Philips factory in Eindhoven.

Eek's principle is to create with what is available. Material, technique and craftsmanship are starting points for his designs. By using what the world has to offer as a starting point instead of putting the idea first, Eek is able to produce his designs for reasonable prices in Eindhoven despite high labour costs.

The respect for materials, technique and craftsmanship did not only lead to the design of the classic scrapwood cabinet. Over the years, a complete collection has emerged based on the same principles. The method of production is part of the design, resulting in designs that make sense from the production perspective but are manufactured quite differently than usual. Instead of being concealed, the construction is often visible. This is not only less work, but often produces an image from which you can see how and why something was made.

Where labour is increasingly being moved to low-wage countries or performed by computer-controlled machines, Eek kept his workshop in Eindhoven, where each product is handmade with outstanding craftsmanship and an eye for detail. The former Philips factory at Strijp-R in Eindhoven of over 11,000 square metres houses his workshop, office, shop, showroom, gallery, meeting rooms, event space, studios, hotel and several restaurants.



LED spot 1, 2, 4 in aluminum, brass and copper

When we moved to our new location, we did not nearly have enough lights to illuminate our new showroom properly. These old halogen lights were also extremely energy-consuming, which was not feasible for such a large space.

Thanks to a miraculous trade, we acquired a huge amount of LED lights, for which we designed an utterly simple reflective mount. The LED spots are available in aluminum, brass and copper and come in 1, 2 or 4 light variations.










LED spot 1 canopy Aluminium

SKU:	PHE-2980CA
Materials:	Aluminium
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 1 canopy Brass

SKU:	PHE-2980CB
Materials:	Brass
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 1 canopy Copper

SKU:	PHE-2980CC
Materials:	Copper
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 1 flush Aluminium

SKU:	PHE-2980FA
Materials:	Aluminium
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 1 flush Brass

SKU:	PHE-2980FB
Materials:	Brass
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 1 flush Copper

SKU:	PHE-2980FC
Materials:	Copper
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 2 canopy Aluminium

SKU:	PHE-2981CA
Materials:	Aluminium
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 2 canopy Brass

SKU:	PHE-2981CB
Materials:	Brass
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 2 canopy Copper

SKU:	PHE-2981CC
Materials:	Copper
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 2 flush Aluminium

SKU:	PHE-2981FA
Materials:	Aluminium
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 2 flush Brass

SKU:	PHE-2981FB
Materials:	Brass
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 2 flush Copper

SKU:	PHE-2981FC
Materials:	Copper
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 4 canopy Aluminium

SKU:	PHE-2982CA
Materials:	Aluminium
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 4 canopy Brass

SKU:	PHE-2982CB
Materials:	Brass
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 4 canopy Copper

SKU:	PHE-2982CC
Materials:	Copper
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	2 m, black
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 4 flush Aluminium

SKU:	PHE-2982FA
Materials:	Aluminium
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot 4 flush Brass

SKU:	PHE-2982FB
Materials:	Brass
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE

LED spot 4 flush Copper

SKU:	PHE-2982FC
Materials:	Copper
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	n/a
Lightsource:	GU 10
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



LED spot on custom track system

Minimum of five meter and five spots

LED spot 1 on custom track system

SKU:	PHE-2983-CMA / PHE-2983-CMB / PHE-2983-CMC
Materials:	Aluminium / Brass / Copper
Finish:	Uncoated
Size:	8,5 x 8,5 x 18,7 cm
Lightsource:	GU 10 (not included)
Certification:	CE

LED spot 2 on custom track system

SKU:	PHE-2984-CMA / PHE-2984-CMB / PHE-2984-CMC
Materials:	Aluminium / Brass / Copper
Finish:	Uncoated
Size:	14 x 8,5 x 18,7 cm
Lightsource:	GU 10 (not included)
Certification:	CE

LED spot 4 on custom track system

SKU:	PHE-2985-CMA / PHE-2985-CMB / PHE-2985-CMC
Materials:	Aluminium / Brass / Copper
Finish:	Uncoated
Size:	14 x 14 x 20 cm
Lightsource:	GU 10 (not included)
Certification:	CE

U-track per meter


SKU:	PHE-Utrack
Materials:	Aluminium / Brass / Copper

One mould lamp (Eenmal lamp)

The ceramic One mould lamp can be used as multiple different lamps, all created from a single mould. You can set it down as a free-standing nightlight, mount it on the wall as an up or down lighter, mount it on a stand as a table lamp, or mount it on a long stand to use it as a floor lamp or reading lamp.









One mould lamp | Eenmal lamp - table/wall-Green

SKU:	PHE-2992GR
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	1,3 m, transparant
Lightsource:	E14, Max. 1.5W LED
Power:	E14, Max. 1.5W LED
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



One mould lamp | Eenmal lamp - table/wall-Light blue

SKU:	PHE-2992LB
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	1,3 m, transparant
Lightsource:	E14, Max. 1.5W LED
Power:	E14, Max. 1.5W LED
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



One mould lamp | Eenmal lamp - table/wall-Pink

SKU:	PHE-2992PK
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	1,3 m, transparant
Lightsource:	E14, Max. 1.5W LED
Power:	E14, Max. 1.5W LED
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE




One mould lamp | Eenmal lamp - table/wall-White

SKU:	PHE-2992WH
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	1,3 m, transparant
Lightsource:	E14, Max. 1.5W LED
Power:	E14, Max. 1.5W LED
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



One mould lamp | Eenmal lamp **- table/wall-Yellow**

SKU:	PHE-2992YE
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	1,3 m, black
Lightsources:	E14, Max. 1.5W LED
Power:	E14, Max. 1.5W LED
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



Small ceramic light (Klein keramiek lampje)

The design for the small ceramic lamp was extremely simple and obvious, but lead to a wide range of possibilities. You can hang it from the ceiling, mount it on a triangular stand to make a standing lamp, or mount it to the wall. A group of small ceramic lamps can also be hung together to create a chandelier.





Small ceramic light | Klein keramiek lampje - single pendant - canopy mount

SKU:	PHE-5661
Materials:	Porcelain
Finish:	n/a
Size:	Ø 5,5cm x 7cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3 m, black
Lightsource:	Integrated LED
Power:	36,2W LED
Colour temp:	2700 k
Lumen output:	TBA
Dimmable:	Phase cut dimmable (R, C)
Certification:	CE

Small ceramic light | Klein keramiek lampje - single pendant - flush mount

SKU:	PHE-5662
Materials:	Porcelain
Finish:	n/a
Size:	Ø 5,5cm x 7cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3 m, black
Lightsource:	Integrated LED
Power:	36,2W LED
Colour temp:	2700 k
Lumen output:	TBA
Dimmable:	Phase cut dimmable (R, C)
Certification:	CE





Small ceramic light | Klein keramiek lampje on custom track system


Minimum quantity: 30 pendants

SKU:	PHE-5664-CM
Materials:	Porcelain
Size:	Ø 5,5cm x 7cm
Lightsource:	Integrated LED
Certification:	CE



Line lamp (Streeplamp)

The line lamp is an elegant and minimalistic lamp in the shape of a thin stripe. You can hang it fairly low above a table as a practical and elegant lighting solution, or you can hang multiple higher up to create an interesting ambience. The lamp is available in brass and copper and can be made in three different lengths.









**Line lamp | Streeplamp - 120cm
Brass**

SKU:	PHE-36962
Materials:	Brass
Finish:	Uncoated
Size:	120 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	20.4 LED
Colour temp:	2700K
Lumen output:	2030
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE

**Line lamp | Streeplamp - 120cm
Copper**



SKU:	PHE-36971
Materials:	Copper
Finish:	Uncoated
Size:	120 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	20.4 LED
Colour temp:	2700K
Lumen output:	2030
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE

**Line lamp | Streeplamp - 150cm
Brass**

SKU:	PHE-36961
Materials:	Brass
Finish:	Uncoated
Size:	150 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	28.5 LED
Colour temp:	2700K
Lumen output:	2840
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE

**Line lamp | Streeplamp - 150cm
Copper**

SKU:	PHE-36972
Materials:	Copper
Finish:	Uncoated
Size:	150 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	28.5 LED
Colour temp:	2700K
Lumen output:	2840
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE



Line lamp | Streeplamp - 180cm Brass

SKU:	PHE-36964
Materials:	Brass
Finish:	Uncoated
Size:	180 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	36.2 LED
Colour temp:	2700K
Lumen output:	3650
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE

Line lamp | Streeplamp - 180cm Copper

SKU:	PHE-36974
Materials:	Copper
Finish:	Uncoated
Size:	180 x 2,3 x 2,4 cm
Canopy Size:	TBA
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3m, transparant
Lightsource:	Integrated LED
Power:	36.2 LED
Colour temp:	2700K
Lumen output:	3650
Dimmable:	Phase cut dimmable (R,C)
Certification:	CE



Line lamp | Streeplamp for custom installation

Minimum quantity of 5 pieces

Line lamp | Streeplamp - 120cm for custom installation

SKU:	PHE-36962-CM / PHE-36971-CM
Materials:	Brass / Copper
Finish:	Uncoated
Size:	120 x 2,3 x 2,4 cm
Lightsource:	Integrated LED
Certification:	CE

Line lamp | Streeplamp - 150cm for custom installation

SKU:	PHE-36961-CM / PHE-36972-CM
Materials:	Brass / Copper
Finish:	Uncoated
Size:	150 x 2,3 x 2,4 cm
Lightsource:	Integrated LED
Certification:	CE

Line lamp | Streeplamp - 180cm for custom installation

SKU:	PHE-36964-CM / PHE-36974-CM
Materials:	Brass / Copper
Finish:	Uncoated
Size:	180 x 2,3 x 2,4 cm
Lightsource:	Integrated LED
Certification:	CE



Cut glass chandelier (Gezaagd glas kroonluchter)

The chandelier is a beautiful example of modern design, with its clean lines and minimalist aesthetic. Each glass pipe is carefully crafted and assembled by hand, perfectly fitting in the brass rings that hold everything together.







**Cut glass chandelier |
Gezaagd glas kroonluchter - 45cm**

SKU:	PHE-3947-0
Materials:	Glass / Brass
Finish:	n/a
Size:	Ø46 x 50 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	3 m, Transparant
Lightsource:	TBA
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



**Cut glass chandelier |
Gezaagd glas kroonluchter - 100cm**

SKU:	PHE-3947-1
Materials:	Glass / Brass
Finish:	n/a
Size:	Ø100 x 100 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	3 m, Transparant
Lightsource:	TBA
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



**Cut glass chandelier |
Gezaagd glas kroonluchter - 120cm**


SKU:	PHE-3947-2
Materials:	Glass / Brass
Finish:	n/a
Size:	Ø120 x 120 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	Dependent on bulb
Cord:	3 m, Transparant
Lightsource:	TBA
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



**Cut glass chandelier |
Gezaagd glas kroonluchter - 200cm**

SKU:	PHE-3947-4
Materials:	Glass / Aluminium
Finish:	n/a
Size:	Ø200 x 200 cm
Canopy Size:	h 3,5cm / Ø 10,5 cm
Input voltage:	220V-240V ~ 50Hz/60Hz
Output voltage:	TBA
Cord:	3 m, Transparant
Lightsource:	TBA
Power:	TBA
Colour temp:	TBA
Lumen output:	TBA
Dimmable:	TBA
Certification:	CE

www.vanmokum.com



VANMOKUM



VANMOKUM

HQ
Meeuwenlaan 126B
1021JN Amsterdam
The Netherlands

+31 (0)20 820 35 08
info@vanmokum.com

United States
+1262 886 1044
us@vanmokum.com

Deutschland
+49 (0)892 620 4410
deutschland@vanmokum.com