

piet hein eek  
lighting

catalogue

## CONTENTS

Introduction	6
LED spot 1,2,4	8
One mould lamp (Eenmal lamp)	24
Small ceramic light (Klein keramiek lampje)	34
Line lamp (Streeplamp)	40
Cut glass chandelier (Gezaagd glas kroonluchter)	52
Old lampshades lamp (Oude lampenkapjes lamp)	58

## INTRODUCTION

## PIET HEIN EEK

In 1990, Piet Hein Eek graduated from the Academy for Industrial Design (later Design Academy) in Eindhoven, with a cupboard made of scrapwood; the now famous Classic Cupboard in Scrapwood (the cupboard is in the collection of the Stedelijk Museum Amsterdam). In an age of lavishness and perfection, he opted for simple materials and sober design. Eek then founded Eek & Ruijgrok B.V. with fellow student Nob Ruijgrok in 1992. They worked under the name 'Piet Hein Eek', from their factory in Geldrop, which they later moved to a former Philips factory in Eindhoven.

Eek's principle is to create with what is available. Material, technique and craftsmanship are starting points for his designs. By using what the world has to offer as a starting point instead of putting the idea first, Eek is able to produce his designs for reasonable prices in Eindhoven despite high labour costs.

The respect for materials, technique and craftsmanship did not only lead to the design of the classic scrapwood cabinet. Over the years, a complete collection has emerged based on the same principles. The method of production is part of the design, resulting in designs that make sense from the production perspective but are manufactured quite differently than usual. Instead of being concealed, the construction is often visible. This is not only less work, but often produces an image from which you can see how and why something was made.

Where labour is increasingly being moved to low-wage countries or performed by computer-controlled machines, Eek kept his workshop in Eindhoven, where each product is handmade with outstanding craftsmanship and an eye for detail. The former Philips factory at Strijp-R in Eindhoven of over 11,000 square metres houses his workshop, office, shop, showroom, gallery, meeting rooms, event space, studios, hotel and several restaurants.



## LED spot 1, 2, 4 in aluminum, brass and copper

When we moved to our new location, we did not nearly have enough lights to illuminate our new showroom properly. These old halogen lights were also extremely energy-consuming, which was not feasible for such a large space.

Thanks to a miraculous trade, we acquired a huge amount of LED lights, for which we designed an utterly simple reflective mount. The LED spots are available in aluminum, brass and copper and come in 1, 2 or 4 light variations.









### LED spot 1 flush Aluminium

SKU: PHE-2980FA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 1 flush Brass

SKU: PHE-2980FB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 1 flush Copper

SKU: PHE-2980FC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 2 flush Aluminium

SKU: PHE-2981FA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



### LED spot 2 flush Brass

SKU: PHE-2981FB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 2 flush Copper

SKU: PHE-2981FC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 4 flush Aluminium

SKU: PHE-2982FA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

### LED spot 4 flush Brass

SKU: PHE-2982FB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**LED spot 4 flush Copper**

SKU: PHE-2982FC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: n/a  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**LED spot 1 canopy Aluminium**

SKU: PHE-2980CA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**LED spot 1 canopy Brass**

SKU: PHE-2980CB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**LED spot 1 canopy Copper**

SKU: PHE-2980CC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**LED spot 2 canopy Aluminium**

SKU: PHE-2981CA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**LED spot 2 canopy Brass**

SKU: PHE-2981CB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**LED spot 2 canopy Copper**

SKU: PHE-2981CC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**LED spot 4 canopy Aluminium**

SKU: PHE-2982CA  
 Materials: Aluminium  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



#### LED spot 4 canopy Brass

SKU: PHE-2982CB  
 Materials: Brass  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

#### LED spot 4 canopy Copper

SKU: PHE-2982CC  
 Materials: Copper  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 2 m, black  
 Lightsource: GU 10 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



## LED spot on custom track system

Minimum of five meter and five spots

#### LED spot 1 on custom track system

SKU: PHE-2983-CMA / PHE-2983-CMB / PHE-2983-CMC  
 Materials: Aluminium / Brass / Copper  
 Finish: Uncoated  
 Size: 8,5 x 8,5 x 18,7 cm  
 Lightsource: GU 10 (not included)  
 Certification: CE

#### LED spot 2 on custom track system

SKU: PHE-2984-CMA / PHE-2984-CMB / PHE-2984-CMC  
 Materials: Aluminium / Brass / Copper  
 Finish: Uncoated  
 Size: 14 x 8,5 x 18,7 cm  
 Lightsource: GU 10 (not included)  
 Certification: CE

#### LED spot 4 on custom track system

SKU: PHE-2985-CMA / PHE-2985-CMB / PHE-2985-CMC  
 Materials: Aluminium / Brass / Copper  
 Finish: Uncoated  
 Size: 14 x 14 x 20 cm  
 Lightsource: GU 10 (not included)  
 Certification: CE

#### U-track per meter


SKU: PHE-Utrack-A / PHE-Utrack-B / PHE-Utrack-C  
 Materials: Aluminium / Brass / Copper  
 Finish: Uncoated

## One mould lamp (Eenmal lamp)

The ceramic One mould lamp can be used as multiple different lamps, all created from a single mould. You can set it down as a free-standing nightlight, mount it on the wall as an up or down lighter, mount it on a stand as a table lamp, or mount it on a long stand to use it as a floor lamp or reading lamp.









**One mould lamp | Eenmal lamp  
table/wall Green**

SKU: PHE-2992GR  
 Materials: Ceramic  
 Finish: n/a  
 Size: 12 x 19.5 x 9 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 1,3 m, transparant  
 Lightsource: E14 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**One mould lamp | Eenmal lamp  
table/wall Light blue**

SKU: PHE-2992LB  
 Materials: Ceramic  
 Finish: n/a  
 Size: 12 x 19.5 x 9 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 1,3 m, transparant  
 Lightsource: E14 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**One mould lamp | Eenmal lamp  
table/wall Pink**

SKU: PHE-2992PK  
 Materials: Ceramic  
 Finish: n/a  
 Size: 12 x 19.5 x 9 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 1,3 m, transparant  
 Lightsource: E14 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE




**One mould lamp | Eenmal lamp  
table/wall White**

SKU: PHE-2992WH  
 Materials: Ceramic  
 Finish: n/a  
 Size: 12 x 19.5 x 9 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 1,3 m, transparant  
 Lightsource: E14 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**One mould lamp | Eenmal lamp  
table/wall Yellow**

SKU:	PHE-2992YE
Materials:	Ceramic
Finish:	n/a
Size:	12 x 19.5 x 9 cm
Canopy Size:	n/a
Input voltage:	220V-240V ~ 50Hz/60Hz
Cord:	1,3 m, black
Lightsource:	E14 (not included)
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



## Small ceramic light (Klein keramiek lampje)

The design for the small ceramic lamp was extremely simple and obvious, but lead to a wide range of possibilities. You can hang it from the ceiling, mount it on a triangular stand to make a standing lamp, or mount it to the wall. A group of small ceramic lamps can also be hung together to create a chandelier.





**Small ceramic light | Klein keramiek lampje  
single pendant - canopy mount**

SKU: PHE-5661  
Materials: Porcelain  
Finish: n/a  
Size: Ø 5,5 cm x 7 cm  
Canopy Size: Ø 10 cm x 4 cm  
Input voltage: 220V-240V ~ 50Hz/60Hz  
Cord: 3 m, black  
Lightsource: Integrated LED  
Power: 1,6 W  
Colour temp: 2700 k  
Lumen output: 167  
Dimmable: Phase cut dimmable (R, C)  
Certification: CE



**Small ceramic light | Klein keramiek lampje  
single pendant - flush mount**

SKU: PHE-5662  
Materials: Porcelain  
Finish: n/a  
Size: Ø 5,5 cm x 7 cm  
Canopy Size: n/a  
Input voltage: 220V-240V ~ 50Hz/60Hz  
Cord: 3 m, black  
Lightsource: Integrated LED  
Power: 1,6 W  
Colour temp: 2700 k  
Lumen output: 167  
Dimmable: Phase cut dimmable (R, C)  
Certification: CE





## Small ceramic light | Klein keramiek lampje on custom track system


Minimum quantity: 25 pendants

SKU:	PHE-5664-CM
Materials:	Porcelain
Size:	Ø 5,5 cm x 7 cm
Lightsource:	Integrated LED
Certification:	CE



## Line lamp (Streeplamp)

The line lamp is an elegant and minimalistic lamp in the shape of a thin stripe. You can hang it fairly low above a table as a practical and elegant lighting solution, or you can hang multiple higher up to create an interesting ambience. The lamp is available in brass and copper and can be made in three different lengths.









**Line lamp | Streeplamp - 120cm Brass**

SKU: PHE-36961B  
 Materials: Brass  
 Finish: Uncoated  
 Size: 120 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 20.4 W  
 Colour temp: 2700K  
 Lumen output: 2030  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE

**Line lamp | Streeplamp - 120cm Copper**


SKU: PHE-36971C  
 Materials: Copper  
 Finish: Uncoated  
 Size: 120 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 20.4 W  
 Colour temp: 2700K  
 Lumen output: 2030  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE

**Line lamp | Streeplamp - 150cm Brass**

SKU: PHE-36962B  
 Materials: Brass  
 Finish: Uncoated  
 Size: 150 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 28.5 W  
 Colour temp: 2700K  
 Lumen output: 2840  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE

**Line lamp | Streeplamp - 150cm Copper**

SKU: PHE-36972C  
 Materials: Copper  
 Finish: Uncoated  
 Size: 150 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 28.5 W  
 Colour temp: 2700K  
 Lumen output: 2840  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE



### Line lamp | Streeplamp - 180cm Brass

SKU: PHE-36964B  
 Materials: Brass  
 Finish: Uncoated  
 Size: 180 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 36.2 W  
 Colour temp: 2700K  
 Lumen output: 3650  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE

### Line lamp | Streeplamp - 180cm Copper

SKU: PHE-36974C  
 Materials: Copper  
 Finish: Uncoated  
 Size: 180 x 2,3 x 2,4 cm  
 Canopy Size: n/a  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3m, transparant  
 Lightsource: Integrated LED  
 Power: 36.2 W  
 Colour temp: 2700K  
 Lumen output: 3650  
 Dimmable: Phase cut dimmable (R,C)  
 Certification: CE



## Line lamp | Streeplamp for custom installation

Minimum quantity of 5 pieces

### Line lamp | Streeplamp - 120cm for custom installation

SKU: PHE-36962-CMB / PHE-36971-CMC  
 Materials: Brass / Copper  
 Finish: Uncoated  
 Size: 120 x 2,3 x 2,4 cm  
 Lightsource: Integrated LED  
 Certification: CE

### Line lamp | Streeplamp - 150cm for custom installation

SKU: PHE-36961-CMB / PHE-36972-CMC  
 Materials: Brass / Copper  
 Finish: Uncoated  
 Size: 150 x 2,3 x 2,4 cm  
 Lightsource: Integrated LED  
 Certification: CE

### Line lamp | Streeplamp - 180cm for custom installation


SKU: PHE-36964-CMB / PHE-36974-CMC  
 Materials: Brass / Copper  
 Finish: Uncoated  
 Size: 180 x 2,3 x 2,4 cm  
 Lightsource: Integrated LED  
 Certification: CE





### **Cut glass chandelier (Gezaagd glas kroonluchter)**

The chandelier is a beautiful example of modern design, with its clean lines and minimalist aesthetic. Each glass pipe is carefully crafted and assembled by hand, perfectly fitting in the brass rings that hold everything together.





**Cut glass chandelier |  
Gezaagd glas kroonluchter - 45cm**

SKU: PHE-3947-0  
 Materials: Glass / Brass  
 Finish: Uncoated  
 Size: Ø46 x 50 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3 m, Transparant  
 Lightsource: E27 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**Cut glass chandelier |  
Gezaagd glas kroonluchter - 100cm**

SKU: PHE-3947-1  
 Materials: Glass / Brass  
 Finish: Uncoated  
 Size: Ø100 x 100 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3 m, Transparant  
 Lightsource: 3x E27 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**Cut glass chandelier |  
Gezaagd glas kroonluchter - 120cm**

SKU: PHE-3947-2  
 Materials: Glass / Brass  
 Finish: Uncoated  
 Size: Ø120 x 120 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3 m, Transparant  
 Lightsource: 3x E27 (not included)  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE



**Cut glass chandelier |  
Gezaagd glas kroonluchter - 200cm**

SKU: PHE-3947-4  
 Materials: Glass / Aluminium  
 Finish: Uncoated  
 Size: Ø200 x 200 cm  
 Canopy Size: h 3,5cm / Ø 10,5 cm  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: 3 m, Transparant  
 Lightsource: Integrated LED  
 Power: 38,4 W  
 Colour temp: 2700 K  
 Lumen output: 4008 Lumen  
 Dimmable: Phase cut dimmable (R, C)  
 Certification: CE

## Old lampshades lamp (Oude lampenkapjes lamp)

The old lampshades lamp is inspired by Jeanine's habit of collecting. She has collections of almost everything, including lampshades. When we visited Leo Coolen's warehouses (of [sprookjes.eu](http://sprookjes.eu)) and saw his collection of lampshades, we encountered the superlative level of collecting. I wanted to use the shades, preferably the least special, to make a new lamp. Collecting means organising and ranking, so lots of these shades had to be combined in a large object: a chandelier. A large globe formed from lots of smaller ones seemed like a good idea.







**Old lampshade lamp ball |  
Oudelampenkapjes ballamp**

SKU:	PHE-3501-CMA / PHE-3503-CMB / PHE-3502-CMC
Materials:	Aluminium / Brass / Copper
Finish:	Uncoated
Size:	Custom input
Canopy Size:	Custom input
Input voltage:	220V-240V ~ 50Hz/60Hz
Cord:	Custom input
Lightsource:	LED fridge lamp E14
Power:	Dependent on bulb
Colour temp:	Dependent on bulb
Lumen output:	Dependent on bulb
Dimmable:	Dependent on bulb
Certification:	CE



**Old lampshades string lamp 3 |  
Oude lampenkapjes strenglamp 3**

SKU: PHE-3504-3R/ PHE-3504-3B / PHE-3504-3C  
 Materials: RVS / Brass/ Copper  
 Finish: Uncoated  
 Size: TBA  
 Canopy Size: TBA  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: Custom input  
 Lightsource: LED fridge lamp E14  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**Old lampshades string lamp 4 |  
Oude lampenkapjes strenglamp 4**

SKU: PHE-3504-4R / PHE-3504-4B / PHE-3504-4C  
 Materials: RVS / Brass / Copper  
 Finish: Uncoated  
 Size: TBA  
 Canopy Size: TBA  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: Custom input  
 Lightsource: LED fridge lamp E14  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**Old lampshades string lamp 5 |  
Oude lampenkapjes strenglamp 5**

SKU: PHE-3504-5R/ PHE-3504-5B / PHE-3504-5C  
 Materials: RVS / Brass / Copper  
 Finish: Uncoated  
 Size: 1x Ø 25 cm – 2x Ø 30 cm – 2x Ø 40 cm  
 Canopy Size: TBA  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: Custom input  
 Lightsource: LED fridge lamp E14  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE

**Old lampshades string lamp 6 |  
Oude lampenkapjes strenglamp 6**

SKU: PHE-3504-6R / PHE-3504-6B / PHE-3504-6C  
 Materials: RVS/ Brass / Copper  
 Finish: Uncoated  
 Size: 2x Ø 25 cm – 2x Ø 30 cm – 2x Ø 40 cm  
 Canopy Size: TBA  
 Input voltage: 220V-240V ~ 50Hz/60Hz  
 Cord: Custom input  
 Lightsource: LED fridge lamp E14  
 Power: Dependent on bulb  
 Colour temp: Dependent on bulb  
 Lumen output: Dependent on bulb  
 Dimmable: Dependent on bulb  
 Certification: CE





VANMOKUM

HQ  
Meeuwenlaan 126B  
1021JN Amsterdam  
The Netherlands  
  
+31 (0)20 820 35 08  
info@vanmokum.com

United States  
+1262 886 1044  
us@vanmokum.com

Deutschland  
+49 (0)892 620 4410  
deutschland@vanmokum.com

WWW.VANMOKUM.COM